

Altrad Generation Hire & Sale

Support for Construction & Industry



OUR CUSTOMER COMMITMENT IS TO DELIVER:



BEST OUALITY

We work closely with our suppliers to ensure consistent product quality every time. All our products are specified to meet or exceed statutory requirements, verified by our Quality Assurance team.



BEST AVAILABILITY

Our nationwide branch network, transport fleet and stock holding ensure we can supply your equipment needs. What, When and Where you need equipment.



BEST PARTNERSHIP

We can take care of all your equipment needs; supplemented by a full range of engineering, design, specification and business services. Our focus is to work together, supporting the growth of your business.



BEST VALUE

Our global supply chain, purchasing and lean business means we don't pass on unnecessary costs to you. We aim to provide consistently low prices and the best value when you buy or hire from us.

Contents

Edge Protection

	_	_	
_		_	_
_	_		_

Combisafe Edge Protection & Fall Protection System	4-5
Steel Frame Solutions	6-7
Concrete Frame Solutions	8-9
Staircase Edge Protection	10



Combisafe Edge Protection & Fall Protection System



Altrad Generation are a preferred supplier of the Combisafe Edge Protection System, established nearly 40 years ago, their continued development of the product range means they have earned the reputation of delivering a user friendly, adaptable edge protection system. The Combisafe range of components, together with the new lightweight barrier range available in 5 sizes, means we can offer a multitude of solutions to suit a wide range of applications.

All products are fully tested and have been proven to meet and exceed the test requirements set out in BS EN 13374:2013 for Class A and Class B.

Standard Height Barriers







Lightweight barrier providing guardrail, toeboard and debris mesh in one product.

Code	Description	Size	Weight
320300	Steel Mesh Barrier 2.6	2600mm	14.20kg



Combisafe Edge Protection & Fall Protection System

When choosing the Combisafe Edge Protection you can be assured of:

- Dedicated Combisafe trained Account Manager: combisafe@altradgeneration.com
- · Detailed quote with technical drawings.
- · Optional additional detailed drawings, including phasing and indexing to save you time on-site
- · On-site product familiarization.
- · On-site support, including installation and erection checks.
- · Comprehensive installation guides.
- Edge Protection Federation accredited courses available.
- · Readily available stock within our network of branches across Ireland.
- · Fast and flexible delivery via our fleet of lorries, fitted with Hiab cranes.



Make Up Height Barriers

Used together with the steel mesh barrier to increase height of edge protection to 1750mm.

Code	Description	Size	Weight
321700	Steel Mesh Barrier Make-up 2.6	2600mm	7.00kg



Universal Safety Posts

When mounted with the various attachments and steel mesh barriers, it forms a safe fall protection solution.

Code	Description	Length	Weight
414000	Safety Post, 1.15m - System C	1150mm	1.90kg
414500	Safety Post, 1.35m - System C	1350mm	2.20kg
415000	Safety Post, 1.80m - System C	1800mm	2.90kg



Steel Frame Solutions

Their range of attachment's available gives the user multiple solutions for any scenario on site, this together with the adaption process makes it the simplest and most user-friendly system to use on Steel Frame buildings.



Flexi Attachment MK2 - System C

Used to provide a post attachment at an adjustable offset, up to max 350mm from a vertical surface. Used in beam webs, walls, facades, shaft sides or slab edges etc..

Full Flexi Attachment is an extended version of the Flexi Attachment, offering up to a 650mm range of movement.

The Cantilever Bracket is an extended version of the flexi attachment, protrudes 1000mm from beam. Requires two posts per attachment

Code	Description	Size	Weight
422100	Flexi Attachment MK2 - System C	380mm x 494mm	4.80kg
595149	Cantilever Bracket	-	17.60kg



Steel Jaw Clamp MK2 - System C

Ensures a secure attachment to steel beams and columns. The jaws and the sacer can be re-positioned on the body to increase the offset or to attach in both the horizontal and vertical plane.

Code	Description	Size	Weight
454200	Steel Jaw Clamp MK2 - System C	270mm x 850mm	7.90kg



Steel Frame Solutions



Welded Socket

Welded directly to steel beams to support edge protection safety posts, used in conjunction with precast attachment sleeves eliminates the risk of accidental removal of the post.

Code	Description	Size	Weight
C10715	Welded Socket	-	0.50kg
011665	Intermediate Flange Socket	-	2.50kg

Pre-cast Attachment Sleeve - System C

For use with welded socket.

Code	Description	Size	Weight
C11571	Pre-cast Attachment Sleeve - System C	-	0.10kg



Concrete Frame Solutions

With a wide range of flexible solutions combining all the benefits of edge protection pre-planning with the versatility of a proven, easy to manage barrier system that saves time and money onsite.



Timber Beam Attachment MK2

Used to attach beams and proprietary forming systems.

Code	Description	Thickness	Weight
440100	Timber Beam Attachment MK2	60mm	4.00kg
441100	Timber Beam Attachment MK2	40mm	3.80kg



Multifoot - System C

Most commonly used at the slab edge, the three points of support allow accurate installation on an uneaven surface.

Code	Description	Size	Weight
429000	Multifoot - System C	-	1.60kg



Multi Clamp MK2 - System C

Versatile attachment, can clamp vertically or horizontally over a thickness ranging from 20mm up to 620mm using the reversible jaw.

Code	Description	Size	Weight
453700	Multi Clamp MK2 - System C	850mm x 270mm	7.90kg



Concrete Frame Solutions



Verti Clamp - System C

Clamps to narrow structures from 0-150mm thick, such as steel sheets. The heavy-duty course thread is quick to set and tightened using a hammer.

Code	Description	Size	Weight
456000	Verti Clamp - System C	-	5.10kg



Balcony Attachment - System C

Designed to use case in chanels or the fixings for permanent handrails.

Code	Description	Size	Weight
460000	Balcony Attachment - System C	320mm x 179mm	1.60kg



Stair Attachment - System C

Used to support systems on stairs, permitting access to the top of the stair unit.

Code	Description	Size	Weight
420200	Stair Attachment - System C	-	2.70kg



Staircase Edge Protection

The varied nature of the stairs, landings, and returns, often required many cut tubes, sharp ends, and much purpose-built protection. The Steel Mesh Barrier Stair has been designed to solve these problems, offering a systemised solution to integrate with the Steel Mesh Barrier system.



Stair Attachment

Used to support systems on stairs, permitting access to the top of the stair unit.

Code	Description	Size	Weight
420200	Stair Attachment - System C	-	2.70kg



Multiclamp Adaptor

Versatile attachment that works in conjunction with Multiclamp to provide clamp on solution to the staircase. Replacement body for Multiclamp.

Code	Description	Size	Weight
451500	Multiclamp Adaptor 30 ° - System C	-	1.20Kg



Multifoot

Most commonly used at the slab edge, the three points of support allow accurate installation on an uneven surface.

Code	Description	Size	Weight
429000	Multifoot - System C	-	1.60kg



Notes



Find Your Nearest Branch:

Simply scan the QR code and input your postcode by clicking on 'Find your local branch', our website will then show the nearest branch to your location.



Altrad Generation Dublin West Killeen Road, Bluebell, Dublin, D12 KXE6 Tel. +353 1 601 1500 dublinwest@altradgeneration.com



Altrad Generation Cork Watergrasshill Business Park,

Watergrasshill, Co. Cork, T56 AE06 Tel. +353 21 488 9850 cork@altradgeneration.com

Altrad Generation Galway

Airglooney Business Park, Tuam, Co. Galway, H54 YT98 Tel. +353 93 60470 galway@altradgeneration.com Altrad Generation Dublin North

Old Swords Road, Cloghran, Santry, Dublin 9, K67 P2T8 Tel. +353 1 901 8690 dublinnorth@altradgeneration.com

Altrad Generation Belfast

Unit 3B, Nutts Corner Business Park, Belfast, BT29 4SR Tel. 028 9082 4880 belfast@altradgeneration.com